

KONETOOL

**EXPERTS Of WOODWORKING
CARBIDE CUTTING TOOLS**



成都泛亚科锐硬质合金科技有限公司
KONE CARBIDE TOOL LTD


KONETOOL CARBIED GRADE

The modern carbide technology classifies tungsten carbide in grain size and binder content (included in the name).

Grade	ISO code	Grain size	Density	HRA	T.R.S	Application
KF21	K10	Fine	14.85-15.05	≥91.0	2000	universal standard grade for almost all wood materials
KS21T	K05	Submicron	14.75-14.95	92.8-93.5	3000	all kinds of board materials, also for hard woods as well as hard glue lines
KS25	K20	Submicron	14.33-14.53	91.4-92.2	3800	high resistant standard grade for hard woods as well as wood with knots
KF19	K10	Fine	14.8-15.05	92±0.3	2400	suitable for hard wood and solid wood
KS19	K05	Submicron	14.7-14.95	93.5±0.3	3000	for hard wood, MDF/HDF as well as Aluminum-plastic composite panel
KU18.5	K05	Ultrafine	14.9-15.05	93.6	3400	suitable for hard wood and solid wood



Woodworking Carbide Standard Inserts




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	BEVEL
M0I075K1215A01	7.5	12	1.5	35°
M0I096K1215A01	9.6	12	1.5	35°
M0I105K1215A01	10.5	12	1.5	35°
M0I11K12K15A01	11	12	1.5	35°
M0I13K12K15A01	13	12	1.5	35°
M0I15K12K15A01	15	12	1.5	35°
M0I157K1215A01	15.7	12	1.5	35°
M0I17K12K15A01	17	12	1.5	35°
M0I18K12K15A01	18	12	1.5	35°
M0I19K12K15A01	19	12	1.5	35°
M0I20K12K15A01	20	12	1.5	35°
M0I195K1215A01	19.5	12	1.5	35°
M0I20K12K15A01	20	12	1.5	35°
M0I247K1215A01	24.7	12	1.5	35°

For more information, please contact our sales.

Woodworking Carbide Standard Inserts




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	BEVEL
M0I25K12K15A01	25	12	1.5	35°
M0I29K12K15A01	29	12	1.5	35°
M0I295K1215A01	29.5	12	1.5	35°
M0I30K12K15A01	30	12	1.5	35°
M0I30K12K25A01	30	12	2.5	35°
M0I40K12K15A01	40	12	1.5	35°
M0I495K1215A01	49.5	12	1.5	35°
M0I50K12K15A01	50	12	1.5	35°
M0I595K1215A01	59.5	12	1.5	35°
M0I60K12K15A01	60	12	1.5	35°

For more information, please contact our sales.

Woodworking Carbide Standard Inserts




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	BEVEL
M0I09K09K15A01	9	9	1.5	35°
M0I10510515A01	10.5	10.5	1.5	35°
M0I10510520A01	10.5	10.5	2	35°
M0I11K11K20A01	11	11	2	30°
M0I12K12K15A01	12	12	1.5	35°
M0I13K13K25A01	13	13	2.5	35°
M0I13413415A01	13.4	13.4	1.5	35°
M0I13613620A01	13.6	13.6	2	30°
M0I14K14K12A01	14	14	1.2	35°
M0I14K14K20A01	14	14	2	35°
M0I14K14K20A02	14	14	2	30°-4R0.5
M0I14114120A01	14.17	14.17	2	30°
M0I14314325A01	14.3	14.3	2.5	30°
M0I14314325A02	14.3	14.3	2.5	35°
M0I14614625A01	14.6	14.6	2.5	30°

For more information, please contact our sales.

Woodworking Carbide Standard Inserts




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	BEVEL
M0I14614625A02	14.6	14.6	2.5	30°-4R0.5
M0I14614625A03	14.6	14.6	2.5	35°
M0I14614625A04	14.6	14.6	2.5	30°-R150
M0I14614625A05	14.6	14.6	2.5	30°-R150-4R0.5
M0I15K15K25A01	15	15	2.5	30°
M0I15K15K25A02	15	15	2.5	35°
M0I15K15K25A03	15	15	2.5	37°
M0I15K15K25A04	15	15	2.5	30°-4R50
M0I15K15K25A05	15	15	2.5	30°-R50-4R0.5
M0I15K15K25A06	15	15	2.5	30°-R100
M0I15K15K25A07	15	15	2.5	30°-R100-4R0.5
M0I15K15K25A08	15	15	2.5	30°-R1150-4R0.5
M0I15K15K25A09	15	15	2.5	30°-R150
M0I15K15K25A10	15	15	2.5	30°-R150-4R0.5
M0I15K15K30A01	15	15	3	30°
M0I17K17K20A12	17	17	2	35°

For more information, please contact our sales.

Woodworking Carbide Standard Inserts





Product Specification

Order No.	L(mm)	W(mm)	T(mm)
MPK14K14K20A01	14	14	2
MPK14K14K25A01	14	14	2.5
MPK14K14K30A01	14	14	3
MPK18K18195A01	18	18	1.95
MPK18K18K25A01	18	18	2.5
MPK18K18295A01	18	18	2.95
MPK18K18K37A01	18	18	3.7
MPK18K18K40A01	18	18	4



For more information, please contact our sales.

Woodturning Carbide Inserts





Product Specification

Order No.	L(mm)	W(mm)	T(mm)	Description
M0T22K19K20KA01	22	19	2	Triangle
M0T22919822KA01	22.9	19.8	2.2	Triangle



Product Specification

Order No.	L(mm)	W(mm)	T(mm)	Description
M0T279952248A01	27.92	9.52	2.48	Rhombus R0.8
M0T279952248A02	27.92	9.52	2.48	Rhombus R0




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	Description
M0T089425185A01	8.9	4.25	1.85	Round
M0T12K43K25KA01	12	4.3	2.5	Round
M0T15K635K25A01	15	6.35	2.5	Round
M0T16K055K30A01	16	5.5	3	Round
M0T18K055K30A01	18	5.5	3	Round
M0T20K063K30A01	20	6.3	3	Round

For more information, please contact our sales.

Woodworking Carbide Planer Knives



Product Specification

Order No.	L(mm)	W(mm)	T(mm)
M0P80K13K22A01	80	13	2.2
M0P10013K22A01	100	13	2.2
M0P12013K22A01	120	13	2.2

For more information, please contact our sales.

Woodworking Carbide Portable Planer Knives




Product Specification

Order No.	L(mm)	W(mm)	T(mm)
M0P60K05511A01	60	5.5	1.1
M0P75505511A01	75.5	5.5	1.1
M0P80505912A01	80.5	5.9	1.2
M0P82K05511A01	82	5.5	1.1
M0P92K05511A01	92	5.5	1.1
M0P10205511A01	102	5.5	1.1

For more information, please contact our sales.

Woodworking Carbide Tersa Planer Knives




Product Specification

Order No.	L(mm)	W(mm)	T(mm)
M0P200K1023A01	100	10	2.3
M0P300K1023A01	300	10	2.3
M0P500K1023A01	500	10	2.3
M0P520K1023A01	520	10	2.3

For more information, please contact our sales.

Woodworking Solid Carbide Planer Knives




Product Specification

Order No.	L(mm)	W(mm)	T(mm)
M0P100K3030A01	100	30	3
M0P150K3030A01	150	30	3
M0P210K3030A01	210	30	3
M0P230K3030A01	230	30	3
M0P260K3030A01	260	30	3
M0P310K3030A01	310	30	3
M0P60K35K30A01	60	35	3
M0P80K35K30A01	80	35	3
M0P100K3530A01	100	35	3
M0P110K3530A01	110	35	3
M0P120K3530A01	120	35	3
M0P130K3530A01	130	35	3

For more information, please contact our sales.


Profiled Inserts



Product Specification

Order No.	L(mm)	W(mm)	T(mm)	Description
MPK20K16K20A01	20	16	2	L, Radius 3
MPK20K16K20A02	20	16	2	R, Radius 3

For more information, please contact your reseponsible sales manager.




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	R(°)
MPK12K12K15A01	12	12	1.5	45°
MPK16K17520A01	16	17.5	2	45°,R2

For more information, please contact our sales.

Profiled Inserts




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	Description
MPK32K32K40A01	32	32	4	TK-P10946
MPK32K29K40A01	32	29	4	TK-P10107
MPK32K22140A01	32	22.1	4	TK-P10108
MPK32K28K40A01	32	28	4	TK-P10952
MPK32K20440A01	32	20.4	4	TK-P10947
MPK32K24K40A04	32	24	4	TK-P10983
MPK32K32K40A02	32	32	4	TK-P10946-NP
MPK32K24440A01	32	24.4	4	TK-P10887

For more information, please contact our sales.

Profiled Blanks




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	HOLE	d(mm)	h(mm)
MPB20K20K15A01	20	20	1.5	1 round hole	4.1	6
MPB27K20K15A01	27	20	1.5	1 round hole	4.1	6
MPB21K21K20A01	21	21	2	1 round hole	4.1	6.5
MPB25K30K20A01	25	30	2	1 round hole	4.1	6.5
MPB30K25K20A01	30	25	2	1 round hole	4.1	6.5

For more information, please contact our sales.

Profiled Blanks




Product Specification

Order No.	L(mm)	W(mm)	T(mm)	HOLE	d(mm)	h(mm)
MPB35K25K20A01	35	25	2	2 round hole	4.2	12.5
MPB40K20K20A01	40	20	2	2 round hole	4.2	6.5
MPB50K20K20A01	50	20	2	2 round hole	4.2	6.5
MPB50K30K20A01	50	30	2	2 round hole	4.2	6.5
MPB60K20520A01	60	20.5	2	2 round hole	4.2	6.5
MPB60K25K20A01	60	25	2	2 round hole	4.2	12.5
MPB70K30520A01	70	30.5	2	2 round hole	4.2	6.5
MPB754K3020A01	75.4	30	2	2 round hole	4.2	13.5
MPB80K25K20A01	80	25	2	2 round hole	4.2	6.5
MPB80K40K20A01	80	40	2	2 round hole	4.2	6.5

For more information, please contact our sales.

TCT Woodworking V-point Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D03K2057RVT1	3	20	57	R
M0D03K2070RVT1	3	20	70	R
M0D03K2057LVT1	3	20	57	L
M0D03K2070LVT1	3	20	70	L
M0D04K2057RVT1	4	20	57	R
M0D04K2070RVT1	4	20	70	R
M0D04K2057LVT1	4	20	57	L
M0D04K2070LVT1	4	20	70	L
M0D05K2057RVT1	5	20	57	R
M0D05K2070RVT1	5	20	70	R
M0D05K2057LVT1	5	20	57	L
M0D05K2070LVT1	5	20	70	L
M0D06K2057RVT1	6	20	57	R
M0D06K2070RVT1	6	20	70	R
M0D06K2057LVT1	6	20	57	L
M0D06K2070LVT1	6	20	70	L

For more information, please contact our sales.

TCT Woodworking Brad-point Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D05K2057RBT1	5	20	57	R
M0D05K2070RBT1	5	20	70	R
M0D05K2057LBT1	5	20	57	L
M0D05K2070LBT1	5	20	70	L
M0D06K2057RBT1	6	20	57	R
M0D06K2070RBT1	6	20	70	R
M0D06K2057LBT1	6	20	57	L
M0D06K2070LBT1	6	20	70	L
M0D07K2057RBT1	7	20	57	R
M0D07K2070RBT1	7	20	70	R
M0D07K2057LBT1	7	20	57	L
M0D07K2070LBT1	7	20	70	L
M0D08K2057RBT1	8	20	57	R
M0D08K2070RBT1	8	20	70	R
M0D08K2057LBT1	8	20	57	L
M0D08K2070LBT1	8	20	70	L
M0D09K2057RBT1	9	20	57	R
M0D09K2070RBT1	9	20	70	R

For more information, please contact our sales.

TCT Woodworking Brad-point Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D09K2057LBT1	9	20	57	L
M0D09K2070LBT1	9	20	70	L
M0D10K2057RBT1	10	20	57	R
M0D10K2070RBT1	10	20	70	R
M0D10K2057LBT1	10	20	57	L
M0D10K2070LBT1	10	20	70	L
M0D11K2057RBT1	11	20	57	R
M0D11K2070RBT1	11	20	70	R
M0D11K2057LBT1	11	20	57	L
M0D11K2070LBT1	11	20	70	L
M0D12K2057RBT1	12	20	57	R
M0D12K2070RBT1	12	20	70	R
M0D12K2057LBT1	12	20	57	L
M0D12K2070LBT1	12	20	70	L
M0D15K2057RBT1	15	20	57	R
M0D15K2070RBT1	15	20	70	R
M0D15K2057LBT1	15	20	57	L
M0D15K2070LBT1	15	20	70	L

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D03K2057RCT1	3	20	57	R
M0D03K2070RCT1	3	20	70	R
M0D03K2057LCT1	3	20	57	L
M0D03K2070LCT1	3	20	70	L
M0D04K2057RCT1	4	20	57	R
M0D04K2070RCT1	4	20	70	R
M0D04K2057LCT1	4	20	57	L
M0D04K2070LCT1	4	20	70	L
M0D05K2057RCT1	5	20	57	R
M0D05K2070RCT1	5	20	70	R
M0D05K2057LCT1	5	20	57	L
M0D05K2070LCT1	5	20	70	L
M0D06K2057RCT1	6	20	57	R
M0D06K2070RCT1	6	20	70	R
M0D06K2057LCT1	6	20	57	L
M0D06K2070LCT1	6	20	70	L

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D03K2757RBP1	3	27	57	R
M0D03K2770RBP1	3	27	70	R
M0D03K2757LBP1	3	27	57	L
M0D03K2770LBP1	3	27	70	L
M0D04K2757RBP1	4	27	57	R
M0D04K2770RBP1	4	27	70	R
M0D04K2757LBP1	4	27	57	L
M0D04K2770LBP1	4	27	70	L
M0D05K2757RBP1	5	27	57	R
M0D05K2770RBP1	5	27	70	R
M0D05K2757LBP1	5	27	57	L
M0D05K2770LBP1	5	27	70	L
M0D06K2757RBP1	6	27	57	R
M0D06K2770RBP1	6	27	70	R
M0D06K2757LBP1	6	27	57	L
M0D06K2770LBP1	6	27	70	L
M0D0622757RBP1	6.2	27	57	R

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D0622770RBP1	6.2	27	70	R
M0D0622757LBP1	6.2	27	57	L
M0D0622770LBP1	6.2	27	70	L
M0D0652757RBP1	6.5	27	57	R
M0D0652770RBP1	6.5	27	70	R
M0D0652757LBP1	6.5	27	57	L
M0D0652770LBP1	6.5	27	70	L
M0D07K2757RBP1	7	27	57	R
M0D07K2770RBP1	7	27	70	R
M0D07K2757LBP1	7	27	57	L
M0D07K2770LBP1	7	27	70	L
M0D0752757RBP1	7.5	27	57	R
M0D0752770RBP1	7.5	27	70	R
M0D0752757LBP1	7.5	27	57	L
M0D0752770LBP1	7.5	27	70	L
M0D08K2757RBP1	8	27	57	R
M0D08K2770RBP1	8	27	70	R

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D08K2757LBP1	8	27	57	L
M0D08K2770LBP1	8	27	70	L
M0D0852757RBP1	8.5	27	57	R
M0D0852770RBP1	8.5	27	70	R
M0D0852757LBP1	8.5	27	57	L
M0D0852770LBP1	8.5	27	70	L
M0D09K2757RBP1	9	27	57	R
M0D09K2770RBP1	9	27	70	R
M0D09K2757LBP1	9	27	57	L
M0D09K2770LBP1	9	27	70	L
M0D0952757RBP1	9.5	27	57	R
M0D0952770RBP1	9.5	27	70	R
M0D0952757LBP1	9.5	27	57	L
M0D0952770LBP1	9.5	27	70	L
M0D10K2757RBP1	10	27	57	R
M0D10K2770RBP1	10	27	70	R
M0D10K2757LBP1	10	27	57	L

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D10K2770LBP1	10	27	70	L
M0D1052757RBP1	10.5	27	57	R
M0D1052770RBP1	10.5	27	70	R
M0D1052757LBP1	10.5	27	57	L
M0D1052770LBP1	10.5	27	70	L
M0D11K2757RBP1	11	27	57	R
M0D11K2770RBP1	11	27	70	R
M0D10K2757LBP1	11	27	57	L
M0D10K2770LBP1	11	27	70	L
M0D12K2757RBP1	12	27	57	R
M0D12K2770RBP1	12	27	70	R
M0D12K2757LBP1	12	27	57	L
M0D12K2770LBP1	12	27	70	L
M0D1252757RBP1	12.5	27	57	R
M0D1252770RBP1	12.5	27	70	R
M0D1252757LBP1	12.5	27	57	L
M0D1252770LBP1	12.5	27	70	L

For more information, please contact our sales.

TCT Woodworking Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D13K2757RBP1	13	27	57	R
M0D13K2770RBP1	13	27	70	R
M0D13K2757LBP1	13	27	57	L
M0D13K2770LBP1	13	27	70	L
M0D14K2757RBP1	14	27	57	R
M0D14K2770RBP1	14	27	70	R
M0D14K2757LBP1	14	27	57	L
M0D14K2770LBP1	14	27	70	L
M0D1452757RBP1	14.5	27	57	R
M0D1452770RBP1	14.5	27	70	R
M0D1452757LBP1	14.5	27	57	L
M0D1452770LBP1	14.5	27	70	L
M0D15K2757RBP1	15	27	57	R
M0D15K2770RBP1	15	27	70	R
M0D15K2757LBP1	15	27	57	L
M0D15K2770LBP1	15	27	70	L

For more information, please contact our sales.

TCT Woodworking Hinge Boring Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D15K3057RH01	15	30	57	R
M0D15K3070RH01	15	30	70	R
M0D15K3057LH01	15	30	57	L
M0D15K3070LH01	15	30	70	L
M0D16K3057RH01	16	30	57	R
M0D16K3070RH01	16	30	70	R
M0D16K3057LH01	16	30	57	L
M0D16K3070LH01	16	30	70	L
M0D17K3070RH01	17	30	70	R
M0D17K3070LH01	17	30	70	L
M0D18K3070RH01	18	30	70	R
M0D18K3070LH01	18	30	70	L
M0D19K3070RH01	19	30	70	R
M0D19K3070LH01	19	30	70	L

For more information, please contact our sales.

TCT Woodworking Hinge Boring Drill Bits




Product Specification

Order No.	Drill Dia(mm)	Total Length(mm)	Shank Dia(mm)	Rotation
M0D20K3057RH01	20	30	57	R
M0D20K3070RH01	20	30	70	R
M0D20K3057LH01	20	30	57	L
M0D20K3070LH01	20	30	70	L
M0D25K3057RH01	25	30	57	R
M0D25K3070RH01	25	30	70	R
M0D25K3057LH01	25	30	57	L
M0D25K3070LH01	25	30	70	L
M0D28K3070RH01	28	30	70	R
M0D28K3070LH01	28	30	70	L
M0D30K3057RH01	30	30	57	R
M0D30K3070RH01	30	30	70	R
M0D30K3057LH01	30	30	57	L
M0D30K3070LH01	30	30	70	L

For more information, please contact our sales.

TCT Woodworking Straight Router Bits




Product Specification

Order No.	d(mm)	L(mm)	D(mm)	Cutting Flute
M0M02K635K6S2A	2	6.35	6	2
M0M02K127K6S2A	2	12.7	6	2
M0M025635K6S2A	2.5	6.35	6	2
M0M025127K6S2A	2.5	12.7	6	2
M0M03K63512S2A	3	6.35	12	2
M0M03K12712S2A	3	12.7	12	2
M0M04K63512S2A	4	6.35	12	2
M0M04K12712S2A	4	12.7	12	2
M0M04563512S2A	4.5	6.35	12	2
M0M04512712S2A	4.5	12.7	12	2
M0M05K63512S2A	5	6.35	12	2
M0M05K12712S2A	5	12.7	12	2
M0M05512712S2A	5.5	12.7	12	2
M0M05563515S2A	5.5	6.35	15	2

For more information, please contact our sales.

TCT Woodworking Straight Router Bits




Product Specification

Order No.	d(mm)	L(mm)	D(mm)	Cutting Flute
M0M06K63512S2A	6	6.35	12	2
M0M06K12712S2A	6	12.7	12	2
M0M07K63515S2A	7	6.35	15	2
M0M07K12715S2A	7	12.7	15	2
M0M08K63520S2A	8	6.35	20	2
M0M08K12720S2A	8	12.7	20	2
M0M09K63530S2A	9	6.35	30	2
M0M09K12730S2A	9	12.7	30	2
M0M10K63525S2A	10	6.35	25	2
M0M10K12725S2A	10	12.7	25	2
M0M11K63530S2A	11	6.35	30	2
M0M11K12730S2A	11	12.7	30	2
M0M12K63525S2A	12	6.35	25	2
M0M12K12725S2A	12	12.7	25	2

For more information, please contact our sales.

Solid Carbide Wood working Spiral End Mills




Product Specification

Order No.	d(mm)	L(mm)	D(mm)	Cutting Flute
M0M031K1238H1A	3.175	12	38	1
M0M031K1238H2A	3.175	12	38	2
M0M031K1738H1A	3.175	17	38	1
M0M031K1738H2A	3.175	17	38	2
M0M031K2245H1A	3.175	22	45	1
M0M031K2245H2A	3.175	22	45	2
M0M04K12K40H2A	4	12	40	2
M0M04K12K40H4A	4	12	40	4
M0M05K17K45H2A	5	17	45	2
M0M05K17K45H4A	5	17	45	4
M0M06K22K45H3A	6	22	45	3
M0M06K22K45H4A	6	22	45	4
M0M08K62100H3A	8	62	100	3
M0M08K62100H4A	8	62	100	4
M0M10K32K60H4A	10	32	60	4
M0M10K42K70H3A	10	42	70	3
M0M12K32K60H4A	12	32	60	4
M0M12K42K70H3A	12	42	70	3

For more information, please contact our sales.

Woodworking Router Bits




Product Specification

Order No.	d(mm)	L(mm)	D(mm)	Cutting Flute
M0M03117K38C2A	3.175	17	38	2
M0M03122K38C2A	3.175	22	38	2
M0M04K17K50C2A	4	17	50	2
M0M04K22K50C2A	4	22	50	2
M0M05K17K50C2A	5	17	50	2
M0M06K17K50C2A	6	17	50	2
M0M08K22K60C2A	8	22	60	2
M0M10K35K75C2A	10	35	75	2
M0M12K45K80C2A	12	45	80	2
M0M12725K80C2A	12.7	25	80	2

For more information, please contact our sales.


Woodworking Router Bits



Order No.	d(mm)	L(mm)	D(mm)	Cutting Flute
M0M08K35K75M3A	8	35	75	3
M0M08K30K80M3A	8	30	80	3
M0M09K30K80M3A	9	30	80	3
M0M10K25K75M3A	10	25	75	3
M0M12K45110M3A	12	45	110	3
M0M12730100M3A	12.7	30	100	3
M0M14K52100M3A	14	52	100	3
M0M16K40100M3A	16	40	100	3
M0M18K55165M3A	18	55	165	3
M0M20K50K80M3A	20	50	80	3
M0M25K55100M3A	25	55	100	3
M0M30K30100M3A	30	30	100	3

For more information, please contact our sales.

Table Saw Conical Blade




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB12020K40T024T	120	20	3.0-4.0	24
MSB15030K41T036T	150	30	3.1-4.1	36
MSB16025444T036T	160	25.4	3.4-4.4	36
MSB16030K44T040T	160	30	3.4-4.4	40
MSB18025444T036T	180	25.4	3.4-4.4	36
MSB18030K54T040T	180	30	4.4-5.4	40
MSB18045K53T040T	180	45	4.3-5.3	40
MSB20045K53T040T	200	45	4.3-5.3	40

For more information, please contact our sales.

Products Processing Crosscut Saw Blade




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB25525430T100C	255	25.4	3	100
MSB25530K30T100C	255	30	3	100
MSB25525430T120C	255	25.4	3	120
MSB25530K20T120C	255	30	2	120
MSB25530K30T120C	255	30	3	120
MSB30525430T120C	305	25.4	3	120
MSB30530K20T120C	305	30	2	120
MSB30530K30T120C	305	30	3	120
MSB35530K32T120C	355	30	3.2	120

For more information, please contact our sales.

Single Chip TCT Saw Blade For Solid Wood




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB30525432T048SC	305	25.4	3.2	48
MSB30530K32T048SC	305	30	3.2	48
MSB30525440T048SC	305	25.4	4	48
MSB30530K40T048SC	305	30	4	48
MSB35530K35T054SC	355	30	3.5	54
MSB35550840T070SC	355	50.8	4	70
MSB35550850T070SC	355	50.8	5	70
MSB40550850T070SC	405	50.8	5	70
MSB45550850T070SC	455	50.8	5	70

For more information, please contact our sales.

Multi Rip Cut TCT Saw Blade




Product Sp

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB15045K22T024M	150	45	2.2/1.7	24+3
MSB16050K25T024M	160	50	2.5/2.0	24+3
MSB18050K25T024M	180	50	2.5/2.0	24+3
MSB20550K25T030M	205	50	2.5/2.0	30+3
MSB23040K22T030M	230	40	2.2/1.7	30+3
MSB23045K22T030M	230	45	2.2/1.7	30+3
MSB23050K25T030M	230	50	2.5/2.0	30+3
MSB25550K25T030M	255	50	2.5/2.0	30+4
MSB30570K30T036M	305	70	3.0/2.4	36+4
MSB40560K34T036M	405	60	3.4/2.7	36+6

For more information, please contact our sales.

Burr - Free Edge Banding TCT Saw Blade




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB10022K32T024E	100	22	3.2	24,L
MSB10022K32T024E	100	22	3.2	24,R
MSB10422K32T024E	104	22	3.2	24,L
MSB10422K32T024E	104	22	3.2	24,R
MSB10422K30T030E	104	22	3	30,W

For more information, please contact our sales.

TCT Slotting Saw Blade




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB12520K18T024SL	125	20	1.8	24
MSB12520K20T024SL	125	20	2	24
MSB12535K20T024SL	125	35	2	24
MSB12520K25T024SL	125	20	2.5	24
MSB12535K25T024SL	125	35	2.5	24
MSB12520K30T024SL	125	20	3	24
MSB12535K30T024SL	125	35	3	24
MSB12520K35T024SL	125	20	3.5	24
MSB12535K35T024SL	125	35	3.5	24
MSB12520K40T024SL	125	20	4	24
MSB12535K40T024SL	125	35	4	24
MSB12520K50T024SL	125	20	5	24
MSB12535K50T024SL	125	35	5	24
MSB12520K60T024SL	125	20	6	24
MSB12535K60T024SL	125	35	6	24

For more information, please contact our sales.

Push Table Saw Blade




Product Specification

Order No.	D(mm)	d(mm)	B(mm)	Number of teeth
MSB18030K32T040PT	180	30	3.2	40
MSB18030K32T060PT	180	30	3.2	60
MSB23030K32T060PT	230	30	3.2	60
MSB25030K32T080PT	250	30	3.2	80
MSB30030K32T072PT	300	30	3.2	72
MSB30030K32T096PT	300	30	3.2	96
MSB35030K35T084PT	350	30	3.5	84
MSB35030K35T108PT	350	30	3.5	108

For more information, please contact our sales.

TCT Saw Tips



Product Specification

Order No.	W(mm)	L(mm)	T(mm)
MST085K25125A01	8.5	2.5	1.25
MST085K35K20A01	8.5	3.5	2
MST065K20K12A01	6.5	2	1.4
MST105K25K13A01	10.5	2.5	1.3
MST105K30K17A01	10.5	3	1.7
MST045K15K07A01	4.5	1.5	0.7
MST050K15K10A01	5	1.5	1
MST055K15K10A01	5.5	1.5	1
MST060K18K12A01	6	1.8	1.2
MST060K20K14A01	6	2	1.4
MST070K20K12A01	7	2	1.2
MST070K22K12A01	7	2.2	1.8
MST075K20K12A01	7.5	2	1.2
MST080K23K15A01	8	2.3	1.5

For more information, please contact our sales.



KONETOOL

KONE CARBIDE TOOL LTD

No 777 Haike Road Cross-Strait Industrial
Park Wenjiang 611130 Chengdu China

fax +86.28.6171.6272	+86.28.6171.6272
www.konecarbide.com	www.konetool.com

General Requirements:	info@konetool.com
European Customer:	Jane@konetool.com
Asian & Oceanian Customer:	Sunny@konetool.com
North&LatinAmericaCustomer:	Selena@konetool.com
Middle East & Africa Customer:	Sales@konetool.com
